

ORIGINAL
(Red)

PA-1204

AUG 28 1986

CERTIFIED MAIL
RETURN RECEIPT REQUESTED


Douglas Lorenzen
PA DER
7th Floor, Fulton Bldg
PO Box 2063
Harrisburg, Pa. 17120

RE: Roberts Packing Co., PA-1251
Lynn Electronics Corp., PA-1204
E.A. Wieand L.F., PA-1782
South Coatesville L.F., PA-1790

Dear Mr. Lorenzen:


We are forwarding to you two copies of the final preliminary assessment reports for the above referenced project. If there are any questions concerning these reports, please call me at 215/597-3165. Thank you.

Sincerely,



Lorie Acker
Site Investigation & Support Section

Enclosures



NUS
CORPORATION

992 OLD EAGLE SCHOOL ROAD, SUITE 916
WAYNE, PENNSYLVANIA 19087
215-687-9510

ORIGINAL
(Red)

our **35**th year

August 28, 1986
R-585-6-6-16
68-01-6699

Mr. Harold Byer
U.S. Environmental Protection Agency
841 Chestnut Building
Ninth and Chestnut Streets
Philadelphia, PA 19107

Subject: Peer Review Comments
TDD No. F3-8602-23
Lynn Electronics Corporation
Feasterville, Pennsylvania

Dear Mr. Byer:

Submitted herewith are the responses to the peer review comments for the subject report.

- o The FIT contacted Mr. David Noll, of the Bucks County Department of Health (BCDH), on August 6, 1986 to obtain any additional information pertaining to the subject site. This information has been incorporated into the final letter report.
- o BCDH has not yet received the analytical results for the discharge sample.
- o The FIT informed Mr. Noll that the EPA Site Investigation Officer, Ms. Lorie Acker, will be contacting BCDH to obtain the laboratory results for this sample.
- o Ms. Marilyn Shup, of the Pennsylvania Department of Environmental Resources, Water Quality Section, and Mr. Noll have been very cooperative and helpful to the FIT during its follow-up investigation of the subject site.

If you have any further questions, please contact me.

Respectfully submitted,

(b) (4)

[Redacted signature]

Geologist

GM/rmk

Reviewed by,

(b) (4)

[Redacted signature]

Assistant Manager

Approved by,

(b) (4)

[Redacted signature]

Manager, FIT III

ORIGINAL
(Red)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
841 Chestnut Building
Philadelphia, Pennsylvania 19107

SUBJECT: Request Assistance from FIT Office

DATE: 7/31/86

FROM: Lorie Acker, SIO
Site Investigation & Support Section (3HW23)

TO: Butch Byer, FIT Regional Project Officer
Site Investigation and Support Section (3HW23)

TDD# 8602-23

I. SITE NAME: Lynn Electronics Corp. (PA-1204)
DSN

II. LOCATION: Feasterville PA

III. WORK ASSIGNMENT:

<input checked="" type="checkbox"/> Preliminary Assessment	<input type="checkbox"/> Quality Assurance Review of Data
<input type="checkbox"/> Site Inspection	<input type="checkbox"/> Re-Sampling/Full Field Investigat
<input type="checkbox"/> Hazard Ranking System	<input checked="" type="checkbox"/> Peer Review Corrections/Finalize
<input type="checkbox"/> Toxicology Assessment	<input type="checkbox"/> Other (See VI below)
<input type="checkbox"/> Enforcement Support	<input type="checkbox"/>

IV. PRIORITY:

☐ High (*) ☒ Medium ☐ Low

V. Preferred Deadline:

Date: _____

VI. EXPLANATION OF TASK (* To include justification for high priority):

Finalize draft letter report. Refer to attached comments.

VII. To be completed by FIT RPO only:

Task complete date by FIT: Aug. 28, 1986

Hours allocated:

CB
for
Butch
8/1/86

PEER REVIEW COMMENTS
(Lynn Electronics Corp.)

Louis Acker
7/31/86

Draft Letter Report
PA - 1204
F 3-8602-23

- ① I agree with your recommendation of no further action. The only thing I would suggest is to call BCDH to see if they have any sample results & incorporate them into the report. If not, finalize as written & I will keep in touch with BCDH & get the results when available.